

Work Order ID 145252

Thursday, May 05, 2016 9:23:22 AM

145252

Page 1

Item ID: D3019-1

Accept

N900040100Setup Start ***NS1***

Revision ID:

Stop ***NS2***

Item Name: Back Cushion

Start Date: 5/6/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 5/20/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: MJ Date: MAY 05 2016 Tooling: _____ Date: _____Run Start ***NR1***

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3019	B

100

0.00

100

PURCHASING

Purchasing

Memo

0.00

Purchasing

Issue P/O: 32295

Possible supplier: Chestnut Ridge Airflex fire-resistant aircraft cushioning

Order: Grade 30-40 (colour green), Density 2.6lb/ft³

Material must meet FAR 27.853(a) or 25.853(a), Part is symmetric about centerline

4MAY 09 2016DAS
13
9-89

110

Receive & Inspect for Damage & Mat'l Certs

0.00

110

Packaging

Memo

0.08

Packaging

Ensure Material Release Note is attached

48 SP 16-05-30

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QS1042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
								QC / QA Coordinator Approval	

Root Cause				FAULT CATEGORY			
Environment ☐	☐ No Re-verification	☐ Pressure/Forced	☐ Temperature/Cure	☐ Power Loss/Surge	☐ Positioned Wrong		
Design ☐	☐ Operator	☐ Bending	☐ Set-up	☐ Folio/Program	☐ Outside Dimensions		
Doc/Data ☐	☐ Offset/Setup	☐ Centre Not Concentric	☐ BOM/Route	☐ Grain	☐ Over/Under tolerance		
Equip/Tooling ☐	☐ Supplier	☐ Cracks	☐ Broken/Damage/Defect	☐ Weld	☐ Part Incorrect		
Handling/Pre ☐	☐ Training	☐ Crimp/Kink/Ripple/Wave	☐ Inspection Incomplete/Unqualified	☐ Wrong Stock Pulled	☐ Part Lost/Missing		
Material ☐	☐ Use for Testing	☐ Cuffs	☐ Contamination	☐ Out of Sequence	☐ Part Moved		
Internal Transport ☐	☐ Poor Information	☐ Crushing	☐ Countersink	☐ Off-set	☐ Drawing		
Tribal Knowledge ☐	☐ Rushing	☐ Heat Treat	☐ Cut Too Short	☐ Mislabeled	☐ Finish		
LOA ☐	☐ Product Improvement	☐ Wave/Twist in Tube	☐ Instructions Incomplete/Unclear	☐ Fit/Function	☐ Misread		
Substation ☐	☐ Process Improvement	☐ Marks/Chatter	☐ Drill Holes	☐ Misaligned/off center	☐ Turning Sequence		
Past Expiry Date ☐	☐ Manufacturing Process	OTHER : _____					
Misidentified ☐	☐ Past Due						

Work Order ID 145252

Thursday, May 05, 2016 9:23:23 AM

145252

Page 2

Item ID: D3019-1 Accept ***N900040100*** Setup Start ***NS1***
 Revision ID: Stop ***NS2***
 Item Name: Back Cushion
 Start Date: 5/6/2016 Start Qty: 4.00 ***4*** Cust Item ID:
 Required Date: 5/20/2016 Req'd Qty: 4.00 ***4*** Customer:
 Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120 *120* QC Quality Control	QC6- Inspect dimensions to drawing Memo *****REMOVE "CHESTNUT FOAM" LABEL AND ATTACH TO WORK ORDER FOR TRACEABILITY*****	0.00 0.00				<u>4</u>			DAS 38 9-89 JUN 01 2016
130 *130* Packaging Packaging	Identify as per dwg & Stock Location: <u>3415</u> Memo	0.00 0.04				<u>4</u>		JUN 01 2016	DAS 6 9-89
140 *140* QC Quality Control	QC21- Final Inspection - Work Order Release Memo	0.00 0.40							16/06/07 <u>ELA</u> / <u>HA</u> JUN 01 2016

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐


Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
								Completed By	
								Lead hand / Supervisor Approval Verification	
						QC / QA Coordinator Approval			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐							
		OTHER : _____							

SPECIFICATION CONTROL DRAWING

THICKNESS/ HEIGHT	TOLERANCE		LENGTH/ DEPTH	TOLERANCE		WIDTH (LEFT TO RIGHT)	TOLERANCE	
	(+)	(-)		(+)	(-)		(+)	(-)
0.0 - 0.50	0.06	0.06	0.00 - 6.00	0.06	0.06	0.00 - 6.00	0.06	0.06
0.51 - 1.00	0.13	0.06	6.01 - 12.00	0.13	0.13	6.01 - 12.00	0.13	0.13
1.01 - 3.00	0.13	0.06	12.01 - 24.00	0.25	0.25	12.01 - 24.00	0.25	0.25
3.01 +	0.19	0.13	24.01 +	0.50	0.38	24.01 +	0.50	0.38

STOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER

145252 M.L.S
160505



VIEW A-A D7-1

RELEASED
2011-05-13
JN

D3019-1 BACK CUSHION

NOTES:

- 1) MATERIAL: MUST MEET FAR 27.853(a) OR 25.853(a)
AIRFLEX FIRE-RESISTANT AIRCRAFT CUSHIONING
GRADE 30-40 (COLOUR GREEN)
DENSITY 2.6 lb/ft³
- 2) FINISH: NONE
- 3) TOLERANCES: PER TABLE 1
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) BREAK SHARP EDGES: N/A

- 6) IDENTIFICATION: TAG(S), BURNED, TO SHOW THE FOLLOWING AT MINIMUM:
CHESTNUT RIDGE FOAM, INC.
443 WAREHOUSE DR.
LATROBE, PA 15650
SO#
DATE MFD:
DART AEROSPACE LTD. P/N D3019-1
- 7) PART IS SYMMETRICAL ABOUT CENTERLINE
- 8) MAKE PER TEMPLATE
- 9) POSSIBLE SUPPLIER: CHESTNUT RIDGE P/N 601988-99

B	UPDATE TO CURRENT STD; DRAWING REVISED IAW CHESTNUT RIDGE MFG DWG. REF: NCR11-588	MB	11.05.10
A	NEW ISSUE	CP	01.05.18
REV.	DESCRIPTION	BY	DATE
DESIGN			
DRAWN			
CHECKED			
MFG. APPR.			
APPROVED			
DE APPR.			
DATE	11.05.10		

DART AEROSPACE LTD
HAWKESBURY, ONTARIO, CANADA

DRAWING NO. D3019
TITLE BACK CUSHION
REV. B
SHEET 1 OF 1
SCALE NTS

COPYRIGHT © 2001 BY DART AEROSPACE LTD
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS
NOT TO BE USED FOR ANY PURPOSE OR COMMERCIAL TO ANY OTHER PERSON WITHOUT
WRITTEN PERMISSION FROM DART AEROSPACE LTD.



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID **PO32295**

Purchase Order Date 5/9/2016 9:12:07 AM

PO Print Date 5/9/2016

Page Number 1 of 2

Order From :

CHESTNUT RIDGE FOAM, INC.
PO BOX 6015
HERMITAGE, PA 16148
US

VU-CHE001

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

E-MAILED
MAY 09 2016

Contact Name

Vendor Phone 724 537 9000

Ship To Contact

Ship To Phone

Ship Via: FedEx Overnight collect

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

USD

FOB

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable CD Promise Date	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	D3018-1P ✓ AS PER DWG D3018 REV. B B145250	Seat Cushion	5/30/2016 Yes 5/30/2016	4.00 ✓ Each	\$60.40	\$241.60
Line Total:						\$241.60
2	D3019-1P ✓ AS PER DWG D3019 REV. B B145252	Back Cushion	5/30/2016 Yes 5/30/2016	4.00 Each	\$46.77	\$187.08
Line Total:						\$187.08

Note:

5/9/2016

Chestnut Ridge Foam, Inc.
443 Warehouse Drive
P.O. Box 781
Latrobe PA 15650

Phone: 724-537-9000
Fax: 724-537-9003



Pack Slip: 67760

Packing Slip

Page: 1 of 1

Ship To: Fed Exp #1517-9324-0
Dart Aerospace Ltd.
1270 Aberdeen Street
Tel: 613-632-3336
Hawkesbury ON K6A 1K7
Canada

Phone: 613-632-3336
Fax: 613-632-1053

Sold To: Chantal Lavoie Fax#: 613-632-1053
Dart Aerospace Ltd.
1270 Aberdeen Street
Tel: 613-632-3336
Hawkesbury ON K6A 1K7
Canada

Phone: 613-632-3336
Fax: 613-632-1053

Ship Date: 5/26/2016

F.O.B. Origin

Ship Via: FedExInt-NextDay

PO Line	Part Number/Description Planned Qty	Shipped Qty	Rev PO Line
---------	--	-------------	----------------

Sales Order: 55310

Your PO: PO32295

Salesperson: Matt Gurgiolo

Customer requests a 5-27-16 ship date.

Certificate of Conformity that all components comply with 14CFR 25.853(a) 12 Second Vertical Burn with Shipment.

Line 1

Rel 1

D3018-1P

AIRFLEX Bottom Cushion
4.00 EA

4.00 EA

Our Part: 502148-99

Line 2

Rel 1

D3019-1P

AIRFLEX Back Cushion
4.00 EA

4.00 EA

Our Part: 601988-99

SP/6-0529

CONTACT CHESTNUT RIDGE FOAM IF THERE IS DAMAGE OR DISCREPANCIES 724-537-9000



Chestnut Ridge
Foam, Inc.

**"URGENT! FLAMMABILITY CERTIFICATION
ENCLOSED. PLEASE FORWARD TO
PURCHASING. DO NOT THROW AWAY!"**

Certificate of Conformance

SOLD TO:

Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury
Ontario CANADA K6A 1K7

PURCHASE ORDER: PO32295

SALES ORDER: 55310

DATE SHIPPED: 05/26/2016

***I certify that the individual components comprising the part shipped
against the above-referenced purchase order meets the following
requirements:***

14 CFR 25.853(a), APPENDIX F, PART 1(a)(1)(ii), AMENDMENT 25-116

Quantity	Customer Part Number	CRF Part Number	Material	Batch Number
4	D3018-1P	502148-99	CR AIRFLEX (55-65)	AF16015
4	D3019-1P	601988-99	CR AIRFLEX (30-40)	AF16003, AF16012

MADE IN THE U.S.A

**Robin
Meighen**

Digitally signed by Robin
Meighen
DN: cn=Robin Meighen,
o=Chestnut Ridge Foam, Inc.,
ou=Sr. Q.A. Inspector,
email=rmeighen@chestnutridgef
oam.com, c=US
Date: 2016.05.26 11:55:56
-04'00'

❖ 443 Warehouse Drive Latrobe, PA 15650
❖ Phone: 724-537-9000 Fax: 724-537-9003

CHESTNUT RIDGE FOAM INC.
VERTICAL BURN TEST # 16058
12-SECOND VERTICAL BUNSEN BURNER TEST
FOR CABIN AND CARGO COMPARTMENT MATERIALS
SHOWING COMPLIANCE TO THE REQUIREMENTS OF 14 CFR 25.853

PRODUCT : CR AIRFLEX
BATCH / LOT NO : AF16015
CUSTOMER : PRODUCTION
P.O. NO :
OTHER IDENTIFICATION : CR AIRFLEX 55-65, 1/2 inch thickness
CRF P/N:

TEST BEING RUN : VERTICAL BUNSEN BURNER TEST: 12 SECOND IGNITION TIME
MEETS REQUIRED MINIMUM FLAME TEMPERATURE OF 1550°F : YES

MATERIAL COMPOSITION : AIRFLEX

MATERIAL PATTERN : NA

MATERIAL COLOR : ORANGE

CONDITIONING STARTED : DATE : 5-3-16
TIME : 10:00 AM

TEST STARTED : DATE : 5-4-16
TIME : 10:50 AM

RESULTS :

	FLAME TIME (SECONDS)	DRIPPINGS (SECONDS)	BURN LENGTH (INCHES)
#1.	0.0	0.0	6.8
#2.	0.0	0.0	6.5
#3.	0.0	0.0	6.5
AVG.	0.0	0.0	6.6

PASS : X FAIL :

COMMENTS :

THIS MATERIAL MEETS THE REQUIREMENTS OF THE 14 CFR, PART 25, SECTION 25.853,
PARAGRAPH (a) AND APPENDIX F, PART 1, (a), (1), (ii).

TESTED BY : Kelly Bures
Laboratory Technician



CHESTNUT RIDGE FOAM INC.
VERTICAL BURN TEST # 15953
12-SECOND VERTICAL BUNSEN BURNER TEST
FOR CABIN AND CARGO COMPARTMENT MATERIALS
SHOWING COMPLIANCE TO THE REQUIREMENTS OF 14 CFR 25.853

PRODUCT : CR AIRFLEX
BATCH / LOT NO : AF16003
CUSTOMER : PRODUCTION
P.O. NO :
OTHER IDENTIFICATION : CR AIRFLEX 30-40, 1/2 inch thickness
CRF P/N:

TEST BEING RUN : VERTICAL BUNSEN BURNER TEST: 12 SECOND IGNITION TIME
MEETS REQUIRED MINIMUM FLAME TEMPERATURE OF 1550°F : YES

MATERIAL COMPOSITION : AIRFLEX

MATERIAL PATTERN : NA

MATERIAL COLOR : GREEN

CONDITIONING STARTED : DATE : 1-27-16
TIME : 8:00 AM

TEST STARTED : DATE : 1-28-16
TIME : 9:00 AM

RESULTS :	FLAME TIME (SECONDS)	DRIPPINGS (SECONDS)	BURN LENGTH (INCHES)
#1.	0.0	0.0	4.2
#2.	0.0	0.0	3.8
#3.	0.0	0.0	4.1
AVG.	0.0	0.0	4.0

PASS : X FAIL :

COMMENTS :

THIS MATERIAL MEETS THE REQUIREMENTS OF THE 14 CFR, PART 25, SECTION 25.853,
PARAGRAPH (a) AND APPENDIX F, PART 1, (a), (1), (ii).

TESTED BY : Kelly Bures
Laboratory Technician



CHESTNUT RIDGE FOAM INC.
VERTICAL BURN TEST # 16031
12-SECOND VERTICAL BUNSEN BURNER TEST
FOR CABIN AND CARGO COMPARTMENT MATERIALS
SHOWING COMPLIANCE TO THE REQUIREMENTS OF 14 CFR 25.853

PRODUCT : CR AIRFLEX
BATCH / LOT NO : AF16012
CUSTOMER : PRODUCTION
P.O. NO :
OTHER IDENTIFICATION : CR AIRFLEX 30-40, 1/2 inch thickness
CRF P/N:

TEST BEING RUN : VERTICAL BUNSEN BURNER TEST: 12 SECOND IGNITION TIME
MEETS REQUIRED MINIMUM FLAME TEMPERATURE OF 1550°F : YES

MATERIAL COMPOSITION : AIRFLEX

MATERIAL PATTERN : NA

MATERIAL COLOR : GREEN

CONDITIONING STARTED : DATE : 4-8-16
TIME : 12:30 PM

TEST STARTED : DATE : 4-11-16
TIME : 7:10 AM

RESULTS :


	FLAME TIME (SECONDS)	DRIPPINGS (SECONDS)	BURN LENGTH (INCHES)
#1.	0.0	0.0	3.8
#2.	0.0	0.0	4.3
#3.	0.0	0.0	4.1
AVG.	0.0	0.0	4.1

PASS : X FAIL :

COMMENTS :

THIS MATERIAL MEETS THE REQUIREMENTS OF THE 14 CFR, PART 25, SECTION 25.853,
PARAGRAPH (a) AND APPENDIX F, PART 1, (a), (1), (ii).

TESTED BY : Kelly Bures
Laboratory Technician



CHESTNUT RIDGE FOAM INC.
VERTICAL BURN TEST # 15917
12-SECOND VERTICAL BUNSEN BURNER TEST
FOR CABIN AND CARGO COMPARTMENT MATERIALS
SHOWING COMPLIANCE TO THE REQUIREMENTS OF 14 CFR 25.853

PRODUCT : TICKING FR 4440 FABRIC
BATCH / LOT NO. : 1680
CUSTOMER : PRODUCTION
P.O. NO :
OTHER IDENTIFICATION : SUPPLIED BY: HANES CONVERTING CO. OF CONOVER, NC
ON INVOICE #62-166404

TEST BEING RUN : VERTICAL BUNSEN BURNER TEST: 12 SECOND IGNITION TIME
MEETS REQUIRED MINIMUM FLAME TEMPERATURE OF 1550°F : YES

MATERIAL COMPOSITION : NA

MATERIAL PATTERN : WOVEN

MATERIAL COLOR : TAN

CONDITIONING STARTED : DATE : 12-28-15
TIME : 11:00 AM

TEST STARTED : DATE : 1-4-16
TIME : 9:15 AM

RESULTS :


	FLAME TIME (SECONDS)		DRIPPINGS (SECONDS)		BURN LENGTH (INCHES)	
	WARP	FILL	WARP	FILL	WARP	FILL
#1.	0.0	0.0	0.0	0.0	4.0	4.4
#2.	0.0	0.0	0.0	0.0	4.3	4.5
#3.	0.0	0.0	0.0	0.0	4.1	4.5
AVG.	0.0	0.0	0.0	0.0	4.1	4.5

PASS : X FAIL :

COMMENTS :

THIS MATERIAL MEETS THE REQUIREMENTS OF THE 14 CFR, PART 25, SECTION 25.853,
PARAGRAPH (a) AND APPENDIX F, PART 1, (a), (1), (ii).

TESTED BY : Kelly Bures
Laboratory Technician



The fibre boxes used for the shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of Consolidated Freight Classification.

(Shipper's Imprint in lieu of stamp, not part of bill of lading approved by the Interstate Commerce Commission.)

STRAIGHT BILL OF LADING

ORIGINAL - NOT NEGOTIABLE

Page 1 of 1

Carrier's No. _____

Shipper's No. 0011688

Carrier:

RECEIVED, subject to the classifications and tariffs in effect on the date of the issue of the Bill of Lading

P.O.: 31790

Date: 5/26/2016



DART AEROSPACE (8784)

1270 ABERDEEN STREET

HAWKESBURY, ON, K6A1K7

LOEB PACKAGING

OTTAWA, ONT K1B3W5

Account No.	Order Date	Ship Via	C&I/PPD	FOB Point	Terms		
8784	3/23/2016	BEST WAY	PPD	Origin			
Quantity	Part #/Description	Rev	Back Order	Class	Pieces/Box	Total Boxes	Weight
1	139X89X35 CRATE		0		0	0	
EA	139X89X35 CRATE						

If charges are to be paid, write or stamp here. To be PrePaid.

Received \$ _____
to apply in prepayment of the charges on the property described hereon.

Agent or Cashier
Per _____
The signature here acknowledges only the amount prepaid

Charges advanced \$ _____

Shipper, Per _____ Agent _____ Per _____

LOEB PACKAGING

Permanent post-office address of shipper:

1475 STAR TOP ROAD

OTTAWA, ONT K1B3W5

Phone: (613)-746-8171 Fax: (613)-746-2430

CHESTNUT RIDGE FOAM, INC.

443 WAREHOUSE DR.
LATROBE, PA 15650

P/N: 601988-99

SO# : **55310**

DATE MFD: **05/16**

62

CHESTNUT RIDGE FOAM, INC.

443 WAREHOUSE DR.
LATROBE, PA 15650

P/N: 601988-99

SO# : **55310**

DATE MFD: **05/16**

62

CHESTNUT RIDGE FOAM, INC.

443 WAREHOUSE DR.
LATROBE, PA 15650

P/N: 601988-99

SO# : **55310**

DATE MFD: **05/16**



CHESTNUT RIDGE FOAM, INC.

443 WAREHOUSE DR.
LATROBE, PA 15650

P/N: 601988-99

SO# : **55310**

DATE MFD: **05/16**

62